



## SEED TREATMENT COMPATIBILITY

### PEA PLANTING WINDOW

SEED TREATMENT	APPLICATION METHOD	
	SEQUENTIAL	SIMULTANEOUS
Apron <sup>®</sup> Advance	Data not requested	Data not requested
Crown <sup>®</sup>	Not recommended	Not recommended
Cruiser Maxx <sup>®</sup> Pulses	48 hours	48 hours
Intego <sup>™</sup> Solo + (Cruiser Maxx <sup>®</sup> Vibrance <sup>®</sup> Pulses)	48 hours	48 hours
Intego <sup>™</sup> Solo + (Trilex <sup>®</sup> EverGol <sup>®</sup> )	48 hours	48 hours
Intego <sup>™</sup> Solo + (Apron Maxx)	48 hours	48 hours
Trilex <sup>®</sup> EverGol <sup>®</sup>	48 hours	48 hours
Insure Pulse	Not recommended	Not recommended
Cruiser Maxx <sup>®</sup> Vibrance <sup>®</sup> Pulses	48 hours	48 hours
Apron Maxx RTA	48 hours	48 hours
Consensus <sup>®</sup> L	48 hours	48 hours
Intego <sup>™</sup> Solo	48 hours	48 hours
Cruiser <sup>®</sup> 5FS	48 hours	48 hours
Stress Shield <sup>®</sup> 600 (104 ml/100 kg)	48 hours	48 hours
Trilex <sup>®</sup> EverGol <sup>®</sup> + Stress Shield <sup>®</sup> (104 ml/100 kg)	48 hours	48 hours
Apron XL <sup>®</sup>	Not recommended	Not recommended

### APPLICATION METHODS

**Sequential application** – seed treatment must be applied and allowed to dry before the inoculant is applied.

**Simultaneous application** – seed treatment can be applied at the same time as the inoculant but separate applicators must be used.



**LENTIL PLANTING WINDOW**

SEED TREATMENT	APPLICATION METHOD	
	SEQUENTIAL	SIMULTANEOUS
Apron® Advance	48 hours	48 hours
Crown®	Not recommended	Not recommended
Cruiser Maxx® Pulses	48 hours	48 hours
Intego™ Solo + (Cruiser Maxx® Vibrance® Pulses)	48 hours	48 hours
Intego™ Solo + (Trilex® EverGol®)	48 hours	48 hours
Intego™ Solo + (Apron Maxx)	48 hours	48 hours
Trilex® EverGol®	48 hours	48 hours
Insure Pulse	Not recommended	Not recommended
Cruiser Maxx® Vibrance® Pulses	48 hours	48 hours
Apron Maxx RTA	48 hours	48 hours
Consensus® L	6 hours	6 hours
Intego™ Solo	48 hours	48 hours
Cruiser® 5FS	Data not requested	Data not requested
Stress Shield® 600 (104 ml/100 kg)	48 hours	48 hours
Trilex® EverGol® + Stress Shield® (104 ml/100 kg)	48 hours	48 hours
Apron XL®	24 hours	24 hours

**APPLICATION METHODS**

**Sequential application** – seed treatment must be applied and allowed to dry before the inoculant is applied.

**Simultaneous application** – seed treatment can be applied at the same time as the inoculant but separate applicators must be used.