



# Imazamox herbicide Group 2

470 g (4 x 117.5 g solu-packs)

Clearfield® Canola 2 to 6 leaf Clearfield lentils 2 to 6 leaf Clearfield sunflowers 2 to 8 leaf

# Weeds Controlled Broadleafs

Cleavers
Cow Cockle
Green Smartweed
Lamb's quarters
Redroot pigweed
Round-leaved mallow

#### Grasses

Barnyard grass Green foxtail Japanese brome grass Persian darnel Volunteer barley Volunteer canary seed

# **Staging**

Cotyledon to 4 leaf
(except where indicated)
(1 to 4 whorls)
Russian thistle
Shepherd's purse
Stinkweed
Volunteer canola
Wild Buckwheat
Wild mustard

#### 1 to 4 true leaf

Volunteer durum wheat Volunteer spring wheat Volunteer tame oats Wild oats Yellow foxtail

## **Application rates**

Mizuna herbicide 11.7 g/ac (29 g/ha) Adjuvant MSO Concentrate with Leci-Tech 1% v/v Merge® surfactant 0.5% v/v

#### **Water Volume**

Ground application only 40 L/ac (10 gal/ac)

### Mixing order

- Use a 50 mesh (or coarser) filter screen and fill tank 3/4 full with correct amount of water. Start and continue agitation throughout mixing and spraying.
- Add the required amount of Mizuna® herbicide water-soluble bags directly into the sprayer through the tank opening and allow to dissolve completely.
- Agitate for at least 10 minutes to dissolve the herbicide. If using a tank-mix, add the correct amount of second herbicide and continue agitating.
- 4. Continue Agitation while adding the required amount of MSO® or Merge® adjuvant. If excess foaming occurs, a silicone anti-foaming agent may be added.
- 5. Complete filling the tank to the desired level with water. If agitation is stopped for more than 5 minutes, re-suspend spray solution by full agitation prior to commencing spraying again.
- 6. Between loads of tank-mix, check in-line and nozzle screens and rinse clean if needed.





# **Application tips**

Rainfastness – 3 hours.

Avoid application immediately before or after frost or during unseasonably cold weather. Treat when weeds are actively growing.

Use higher water volume on dense weeds and thicker canopies.

#### **Pre-harvest interval**

60 days after application for Clearfield canola and Clearfield lentils. 70 days after application for Clearfield sunflowers.

## Follow crops

*3 months after application:* Winter wheat as a rotational crop

1 year after application:Canary seedCanola (all types incl. Clearfield canola)

Chickpeas Durum wheat

2 years after application:

Mustard (condiment type only)

#### Tank mixes

Please refer to herbicide label for approved tank mixes.